

PA6 XT - polyamid (nylon)



Varenummer	Materiale	Dimension (mm) Ø	Tolerance (mm) Ø	Nettovægt (kg/1000 mm)
21102005	PA 6 XT NATUR	5	0,1/0,4	0,03
21102006	PA 6 XT NATUR	6		0,04
21102008	PA 6 XT NATUR	8	0,1/0,5	0,06
21102010	PA 6 XT NATUR	10		0,10
21102012	PA 6 XT NATUR	12	0,2/0,7	0,15
21102014	PA 6 XT NATUR	14		0,18
21102015	PA 6 XT NATUR	15		0,22
21102016	PA 6 XT NATUR	16		0,25
21102018	PA 6 XT NATUR	18		0,30
21102020	PA 6 XT NATUR	20		0,35
21102022	PA 6 XT NATUR	22	0,2/0,9	0,46
21102025	PA 6 XT NATUR	25		0,60
21102030	PA 6 XT NATUR	30		0,85
21102032	PA 6 XT NATUR	32	0,2/1,1	1,00
21102036	PA 6 XT NATUR	36		1,20
21102040	PA 6 XT NATUR	40		1,50
21102045	PA 6 XT NATUR	45	0,3/1,3	1,98
21102050	PA 6 XT NATUR	50		2,40
21102056	PA 6 XT NATUR	55		2,90
21102060	PA 6 XT NATUR	60	0,3/1,6	3,40
21102065	PA 6 XT NATUR	65		4,00
21102070	PA 6 XT NATUR	70		4,70
21102075	PA 6 XT NATUR	75	0,4/2,0	5,30
21102080	PA 6 XT NATUR	80		6,00
21102085	PA 6 XT NATUR	85	0,5/2,2	6,90
21102090	PA 6 XT NATUR	90		7,70
21102100	PA 6 XT NATUR	100	0,6/2,5	9,50
21102110	PA 6 XT NATUR	110	0,7/3,0	11,50
21102120	PA 6 XT NATUR	120	0,8/3,5	13,80
21102130	PA 6 XT NATUR	130	0,9/3,8	16,42
21102140	PA 6 XT NATUR	140		18,20
21102150	PA 6 XT NATUR	150	1,0/4,2	21,50
21102160	PA 6 XT NATUR	160	1,1/4,5	24,50
21102170	PA 6 XT NATUR	170	1,2/5,0	27,00
21102180	PA 6 XT NATUR	180		30,90
21102200	PA 6 XT NATUR	200	1,3/5,5	38,20
21102220	PA 6 XT NATUR	220	1,3/5,8	45,00
21102250	PA 6 XT NATUR	250	1,5/6,2	60,50
21111008	PA 6 XT SORT	8	0,1/0,5	0,07
21111010	PA 6 XT SORT	10		0,10
21111012	PA 6 XT SORT	12	0,2/0,7	0,15
21111016	PA 6 XT SORT	16		0,25
21111020	PA 6 XT SORT	20		0,40
21111025	PA 6 XT SORT	25	0,2/0,9	0,60
21111030	PA 6 XT SORT	30		0,84
21111032	PA 6 XT SORT	32	0,2/1,1	1,00
21111036	PA 6 XT SORT	35		1,20
21111040	PA 6 XT SORT	40		1,56
21111045	PA 6 XT SORT	45	0,3/1,3	1,90
21111050	PA 6 XT SORT	50		2,43
21111056	PA 6 XT SORT	55		2,90
21111060	PA 6 XT SORT	60	0,3/1,6	3,40
21111070	PA 6 XT SORT	70		4,50
21111080	PA 6 XT SORT	80	0,4/0,2	6,20
21111090	PA 6 XT SORT	90	0,5/2,2	7,50

PA6 XT - polyamid (nylon)

Varenummer	Materiale	Dimension (mm) Ø	Tolerance (mm) Ø	Nettovægt (kg/1000 mm)
21111100	PA 6 XT SORT	100	0,6/2,5	9,50
21111110	PA 6 XT SORT	110	0,7/3,0	11,20
21111120	PA 6 XT SORT	120	0,8/3,5	13,50
21111130	PA 6 XT SORT	130	0,9/3,8	16,50
21111150	PA 6 XT SORT	150		21,80
21111160	PA 6 XT SORT	160		24,10

Standardlængde 1000 mm

Indtil Ø120 mm lagerføres i længde á 3000 mm

PA6 XT - polyamid (nylon)



Varenummer	Materiale	Dimension (mm)		Tolerance (mm)		Nettovægt (kg/1000 mm)
		Ø udvendig	Ø indvendig	Ø udvendig	Ø indvendig	
2120202010	PA 6 XT NATUR	20	10	0,4/1,1	-0,4/-1,1	0,33
2120202515	PA 6 XT NATUR	25	15			0,40
2120203015	PA 6 XT NATUR	30	15			0,70
2120203615	PA 6 XT NATUR	35	15	0,6/2,0	-0,6/-2,0	1,05
2120203625	PA 6 XT NATUR	36	25			0,78
2120204020	PA 6 XT NATUR	40	20			1,24
2120204025	PA 6 XT NATUR	40	25			1,16
2120204030	PA 6 XT NATUR	40	30			0,80
2120204520	PA 6 XT NATUR	45	20			1,60
2120204525	PA 6 XT NATUR	45	25			1,43
2120205020	PA 6 XT NATUR	50	20			2,10
2120205025	PA 6 XT NATUR	50	25			1,90
2120205030	PA 6 XT NATUR	50	30			1,73
2120205625	PA 6 XT NATUR	56	25	0,8/2,5	-0,8/-2,5	2,50
2120206020	PA 6 XT NATUR	60	20			3,10
2120206030	PA 6 XT NATUR	60	30			2,74
2120206040	PA 6 XT NATUR	60	40			2,10
2120206050	PA 6 XT NATUR	60	50			1,30
2120206540	PA 6 XT NATUR	65	40	0,8/3,0	-0,8/-3,0	2,70
2120206550	PA 6 XT NATUR	65	50			1,90
2120207040	PA 6 XT NATUR	70	40			3,40
2120207050	PA 6 XT NATUR	70	50			2,60
2120208030	PA 6 XT NATUR	80	30			5,40
2120208040	PA 6 XT NATUR	80	40			5,00
2120208050	PA 6 XT NATUR	80	50			3,94
2120208060	PA 6 XT NATUR	80	60			3,04
2120208540	PA 6 XT NATUR	85	40			5,65
2120209040	PA 6 XT NATUR	90	40	1,2/3,6	-1,6/-5,0	6,30
2120209060	PA 6 XT NATUR	90	60			4,80
2120210050	PA 6 XT NATUR	100	50			7,50
2120210060	PA 6 XT NATUR	100	60			6,60
2120210070	PA 6 XT NATUR	100	70			5,50
2120210080	PA 6 XT NATUR	100	80			4,20
2120211060	PA 6 XT NATUR	110	60			8,60
2120211580	PA 6 XT NATUR	115	80	1,5/4,5	-2,0/-6,5	7,10
2120212080	PA 6 XT NATUR	120	80			8,00
2120212500	PA 6 XT NATUR	125	100			6,60
2120212560	PA 6 XT NATUR	125	60			12,10
2120212590	PA 6 XT NATUR	125	90			8,20
2120214000	PA 6 XT NATUR	140	100			11,20
2120214080	PA 6 XT NATUR	140	80			13,30
2120215080	PA 6 XT NATUR	150	80			16,10
2120216020	PA 6 XT NATUR	160	120	1,8/5,4	-2,2/-7,5	12,30
2120220000	PA 6 XT NATUR	200	100			29,70
2121103015	PA6 XT SORT	30	15			0,68
2121104020	PA6 XT SORT	40	20	0,4/1,1	-0,4/-1,1	1,24
2121104025	PA6 XT SORT	40	25			1,02
2121104030	PA6 XT SORT	40	30			0,80
2121105030	PA6 XT SORT	50	30	0,6/2,0	-0,6/-2,0	1,60
2121105040	PA6 XT SORT	50	40			1,10
2121106040	PA6 XT SORT	60	40	0,8/2,5	-0,8/-2,5	2,10
2121106530	PA6 XT SORT	65	30	0,8/3,0	-0,8/-3,0	3,30
2121106540	PA6 XT SORT	65	40			2,70
2121107050	PA6 XT SORT	70	50			2,61
2121107540	PA6 XT SORT	75	40			4,10

PA6 XT - polyamid (nylon)

Varenummer	Materiale	Dimension (mm)		Tolerance (mm)		Nettovægt (kg/1000 mm)
		Ø udvendig	Ø indvendig	Ø udvendig	Ø indvendig	
2121108040	PA6 XT SORT	80	40			4,80
2121108050	PA6 XT SORT	80	50			4,00
2121109060	PA6 XT SORT	90	60			4,80

Standardlængde 1000 mm

Indtil Ø120 mm lagerføres i længde á 3000 mm

PA6 XT - polyamid (nylon)



Plader

Varenummer	Materiale	Dimension (mm)			Tolerance (mm) tykkelse	Nettovægt (kg/plade)
		tykkelse	bredde	længde		
2140200120	PA6 XT NATUR	1	1.000	2.000	-0,1/0,1	2,40
21402001520	PA6 XT NATUR	1,5	1.000	2.000	-0,2/0,2	3,54
2140200220	PA6 XT NATUR	2	1.000	2.000		4,72
2140200320	PA6 XT NATUR	3	1.000	2.000		7,00
2140200420	PA6 XT NATUR	4	1.000	2.000		9,60
2140200520	PA6 XT NATUR	5	1.000	2.000	-0,3/0,3	11,80
2140200620	PA6 XT NATUR	6	1.000	2.000		13,70
2140200821	PA6 XT NATUR	8	1.000	2.000	0,2/0,9	21,50
2140201021	PA6 XT NATUR	10	1.000	2.000		27,00
2140201030	PA6 XT NATUR	10	600	3.000		23,40
2140201221	PA6 XT NATUR	12	1.000	2.000	0,3/1,5	32,50
2140201230	PA6 XT NATUR	12	600	3.000		29,00
2140201621	PA6 XT NATUR	16	1.000	2.000		42,20
2140201630	PA6 XT NATUR	16	600	3.000		38,00
2140202021	PA6 XT NATUR	20	1.000	2.000		52,00
2140202030	PA6 XT NATUR	20	600	3.000		47,40
2140202521	PA6 XT NATUR	25	1.000	2.000		62,70
2140202530	PA6 XT NATUR	25	600	3.000		58,62
2140203021	PA6 XT NATUR	30	1.000	2.000	0,5/2,5	76,10
2140203030	PA6 XT NATUR	30	600	3.000		70,20
2140203620	PA6 XT NATUR	35	610	2.000		55,00
2140204020	PA6 XT NATUR	40	600	2.000		62,00
2140204030	PA6 XT NATUR	40	600	3.000		93,00
2140205020	PA6 XT NATUR	50	600	2.000		76,00
2140206021	PA6 XT NATUR	60	1.000	2.000	0,5/3,5	153,60
2140206030	PA6 XT NATUR	60	600	3.000		137,00
2140207020	PA6 XT NATUR	70	600	2.000	0,5/5,0	106,00
2140208020	PA6 XT NATUR	80	600	2.000		117,80
2141100421	PA6 XT SORT	4	1.000	2.000	-0,2/0,2	10,20
2141100521	PA6 XT SORT	5	1.000	2.000	-0,3/0,3	11,80
2141100621	PA6 XT SORT	6	1.000	2.000		14,16
2141100821	PA6 XT SORT	8	1.000	2.000	0,2/0,9	21,20
2141101021	PA6 XT SORT	10	1.000	2.000		27,00
2141101221	PA6 XT SORT	12	1.000	2.000	0,3/1,5	32,60
2141101620	PA6 XT SORT	16	600	2.000		25,20
2141101630	PA6 XT SORT	16	600	3.000		37,80
2141102020	PA6 XT SORT	20	600	2.000		31,00
2141102521	PA6 XT SORT	25	1.000	2.000		63,00
2141102530	PA6 XT SORT	25	600	3.000		57,00
2141103021	PA6 XT SORT	30	1.000	2.000	0,5/2,5	76,00
2141103030	PA6 XT SORT	30	600	3.000		69,60
2141104020	PA6 XT SORT	40	600	2.000		60,80
2141105020	PA6 XT SORT	50	600	2.000		76,40

PA6 G - polyamid (nylon)



Varenummer	Materiale	Dimension (mm) Ø	Tolerance (mm) Ø	Nettovægt (kg/1000 mm)
21702020	PA6 G NATUR	20	0,5/2,0	0,40
21702030	PA6 G NATUR	30		0,85
21702035	PA6 G NATUR	35		1,20
21702040	PA6 G NATUR	40	1,0/3,0	1,50
21702045	PA6 G NATUR	45		1,90
21702050	PA6 G NATUR	50		2,40
21702055	PA6 G NATUR	55		2,80
21702060	PA6 G NATUR	60	1,0/4,0	3,40
21702070	PA6 G NATUR	70		4,80
21702080	PA6 G NATUR	80		6,20
21702090	PA6 G NATUR	90		7,80
21702100	PA6 G NATUR	100		9,80
21702110	PA6 G NATUR	110	1,5/5,0	11,60
21702120	PA6 G NATUR	120		14,20
21702130	PA6 G NATUR	130		16,90
21702140	PA6 G NATUR	140		20,00
21702150	PA6 G NATUR	150		22,50
21702160	PA6 G NATUR	160	2,0/7,0	25,10
21702170	PA6 G NATUR	170		28,40
21702180	PA6 G NATUR	180		31,50
21702200	PA6 G NATUR	200		38,20
21702210	PA6 G NATUR	210	3,0/9,0	42,50
21702220	PA6 G NATUR	220		48,00
21702230	PA6 G NATUR	230		50,00
21702240	PA6 G NATUR	240		55,00
21702250	PA6 G NATUR	250		59,80
21702260	PA6 G NATUR	260		65,40
21702280	PA6 G NATUR	280		75,80
21702300	PA6 G NATUR	300		87,80
21702310	PA6 G NATUR	310		93,60
21702320	PA6 G NATUR	320		101,50
21702330	PA6 G NATUR	330	4,0/11,0	104,00
21702350	PA6 G NATUR	350		123,60
21702380	PA6 G NATUR	380		140,30
21702400	PA6 G NATUR	400		155,00
21702450	PA6 G NATUR	450	4,0/13,0	196,00
21702500	PA6 G NATUR	500		242,00
21711030	PA6 G SORT	30	0,5/2,0	0,85
21711030MOS	PA6 G SORT+MOS2	30		0,89
21711040	PA6 G SORT	40	1,0/3,0	1,50
21711040MOS	PA6 G SORT+MOS2	40		1,52
21711050	PA6 G SORT	50		2,40
21711050MOS	PA6 G SORT+MOS2	50		2,26
21711060	PA6 G SORT	60	1,0/4,0	3,40
21711060MOS	PA6 G SORT+MOS2	60		3,40
21711070	PA6 G SORT	70		4,80
21711070MOS	PA6 G SORT+MOS2	70		4,85
21711080	PA6 G SORT	80		6,20
21711080MOS	PA6 G SORT+MOS2	80		6,20
21711090	PA6 G SORT	90		7,80
21711090MOS	PA6 G SORT+MOS2	90		7,85
21711100	PA6 G SORT	100		9,80
21711100MOS	PA6 G SORT+MOS2	100		9,64
21711110	PA6 G SORT	110	1,5/5,0	11,60
21711110MOS	PA6 G SORT+MOS2	110		11,60

PA6 G - polyamid (nylon)

Varenummer	Materiale	Dimension (mm) Ø	Tolerance (mm) Ø	Nettovægt (kg/1000 mm)
21711120	PA6 G SORT	120		14,20
21711120MOS	PA6 G SORT+MOS2	120		13,65
21711130	PA6 G SORT	130		16,30
21711130MOS	PA6 G SORT+MOS2	130		16,40
21711140	PA6 G SORT	140		18,97
21711140MOS	PA6 G SORT+MOS2	140		18,97
21711150	PA6 G SORT	150		22,50
21711150MOS	PA6 G SORT+MOS2	150		21,60
21711160	PA6 G SORT	160	2,0/7,0	25,10
21711170	PA6 G SORT	170		27,90
21711180	PA6 G SORT	180		30,60
21711210	PA6 G SORT	210		42,20
21711210MOS	PA6 G SORT+MOS2	210	3,0/9,0	42,20
21711240MOS	PA6 G SORT+MOS2	240		56,00
21711270	PA6 G SORT	270		69,60
21711280	PA6 G SORT	280		75,00
21711300MOS	PA6 G SORT+MOS2	300		86,30

PA6 Sort+Mos2 kan forekomme i antrasitgrå

Standard længde á 1000 mm

PA6 G - polyamid (nylon)



Varenummer	Materiale	Dimension (mm)		Tolerance (mm)		Nettovægt (kg/1000 mm)
		Ø udvendig	Ø indvendig	Ø udvendig	Ø indvendig	
4170209060	PA 6 G NATUR	90	60	2,0/5,0	-2,0/-10,0	M.
4170210050	PA 6 G NATUR	100	50			M.
4170211060	PA 6 G NATUR	110	60			M.
4170211070	PA 6 G NATUR	110	70			M.
4170211080	PA 6 G NATUR	110	80			M.
4170211570	PA 6 G NATUR	115	70			M.
4170212060	PA 6 G NATUR	120	60			M.
4170212080	PA 6 G NATUR	120	80	2,0/7,0	-2,0/-10,0	M.
4170213000	PA 6 G NATUR	130	100			M.
4170213090	PA 6 G NATUR	130	90			M.
4170214080	PA 6 G NATUR	140	80			M.
4170215080	PA 6 G NATUR	150	80			M.
4170216020	PA 6 G NATUR	160	120			M.
4170217010	PA 6 G NATUR	170	110	2,0/8,0	-2,0/-10,0	M.
4170218030	PA 6 G NATUR	180	130			M.
4170218090	PA 6 G NATUR	180	90			M.
4170220000	PA 6 G NATUR	200	100			M.
4170220020	PA 6 G NATUR	200	120			M.
4170220040	PA 6 G NATUR	200	140	2,0/9,0	-2,0/-10,0	M.
4170220050	PA 6 G NATUR	200	150			M.
4170220060	PA 6 G NATUR	200	160			M.
4170221290	PA 6 G NATUR	212	190			M.
4170222090	PA 6 G NATUR	220	190	2,0/9,0	-3,0/-10,0	M.
4170225080	PA 6 G NATUR	250	180			M.
4170226000	PA 6 G NATUR	260	200			M.
4170228010	PA 6 G NATUR	280	210			M.
4170230000	PA 6 G NATUR	300	200			M.
4170230020	PA 6 G NATUR	300	120			M.
4170230040	PA 6 G NATUR	300	240			M.
4170230693	PA 6 G NATUR	306	293	3,0/11,0	-3,0/-12,0	M.
4170232072	PA 6 G NATUR	320	272			M.
4170234060	PA 6 G NATUR	340	260			M.
4170237020	PA 6 G NATUR	370	320	3,0/11,0	-3,0/-14,0	M.
4170243060	PA 6 G NATUR	430	360			M.
4170248000	PA 6 G NATUR	480	300			M.

Standard længde 1000 mm

Lagerføres i mindre omfang, men ovenstående og andre dimensioner kan skaffes fra værk.

PA 6 G - polyamid (nylon)



Plader

Varenummer	Materiale	Dimension (mm)			Tolerance (mm) tykkelse	Nettovægt (kg/plade)
		tykkelse	bredde	længde		
2180200820	PA 6 G NATUR	8	1000	2000	1,0/1,7	23,00
2180201020	PA 6 G NATUR	10	1000	2000		27,00
2180201220	PA 6 G NATUR	12	1000	2000		32,00
2180201520	PA 6 G NATUR	15	1000	2000	1,0/2,5	40,00
2180201531	PA 6 G NATUR	15	1220	3050		75,03
2180202020	PA 6 G NATUR	20	1000	2000		52,00
2180202030	PA 6 G NATUR	20	1220	3050		92,60
2180202520	PA 6 G NATUR	25	1000	2000		64,00
2180202530	PA 6 G NATUR	25	1220	3050		118,95
2180203020	PA 6 G NATUR	30	1000	2000	1,0/3,5	77,00
2180203031	PA 6 G NATUR	30	1220	3050		143,35
2180203520	PA 6 G NATUR	35	1000	2000		93,60
2180204020	PA 6 G NATUR	40	1000	2000		102,00
2180205020	PA 6 G NATUR	50	1000	2000	1,0/5,0	127,00
2180205030	PA 6 G NATUR	50	1220	3050		224,00
2180206020	PA 6 G NATUR	60	1000	2000		152,00
2180206030	PA 6 G NATUR	60	1220	3050		283,65
2180207020	PA 6 G NATUR	70	1000	2000		177,00
2180208020	PA 6 G NATUR	80	1000	2000	2,0/6,0	202,00
2180208030	PA 6 G NATUR	80	1220	3050		372,10
2180209020	PA 6 G NATUR	90	1000	2000		226,00
2180210020	PA 6 G NATUR	100	1000	2000		252,00
2180212010	PA 6 G NATUR	120	1000	1000		158,00
2180215010	PA 6 G NATUR	150	1000	1000		197,00
2181101520	PA 6 G SORT	15	1000	2000	1,0/2,5	40,00
2181101520MOS	PA 6 G SORT+MOS2	15	1000	2000		40,00
2181102020	PA 6 G SORT	20	1000	2000		54,30
2181102020MOS	PA 6 G SORT+MOS2	20	1000	2000		52,00
2181102520MOS	PA 6 G SORT+MOS2	25	1000	2000		64,00
2181103020MOS	PA 6 G SORT+MOS2	30	1000	2000	1,0/3,5	77,00
2181104020MOS	PA 6 G SORT+MOS2	40	1000	2000		100,00
2181104520	PA 6 G SORT	45	1000	2000		114,00
2181105020	PA 6 G SORT	50	1000	2000	1,0/5,0	130,00
2181105020MOS	PA 6 G SORT+MOS2	50	1000	2000		127,00
2181106020	PA 6 G SORT	60	1000	2000		154,00
2181106020MOS	PA 6 G SORT+MOS2	60	1000	2000		152,00
2181107020	PA 6 G SORT	70	1000	2000		177,00
2181107020MOS	PA 6 G SORT+MOS2	70	1000	2000		177,00
2181108020	PA 6 G SORT	80	1000	2000	2,0/6,0	202,00
2181109020	PA 6 G SORT	90	1000	2000		226,00
2181110020	PA 6 G SORT	100	1000	2000		252,00
2181114010	PA 6 G SORT	140	1000	1000		184,00
2181115010	PA 6 G SORT	150	1000	1000		197,00

PA 6 G Sort+Mos2 kan forekomme i antrasitgrå

Leveres også i længder á 1000 mm

Oilamid G - polyamid (nylon)

Varenummer	Materiale	Dimension (mm) Ø	Tolerance (mm) Ø	Nettovægt (kg/1000 mm)
21911020	OILAMID G SORT	20	0,6/2,0	0,42
21911025	OILAMID G SORT	25		0,60
21911030	OILAMID G SORT	30		0,85
21911040	OILAMID G SORT	40	1,0/3,0	1,50
21911045	OILAMID G SORT	45		1,90
21911050	OILAMID G SORT	50		2,40
21911060	OILAMID G SORT	60	1,0/4,0	3,40
21911070	OILAMID G SORT	70		4,80
21911080	OILAMID G SORT	80		6,20
21911090	OILAMID G SORT	90		7,80
21911100	OILAMID G SORT	100		9,80
21911110	OILAMID G SORT	110	1,5/5,0	11,70
21911120	OILAMID G SORT	120		13,90
21911125	OILAMID G SORT	125		15,40
21911130	OILAMID G SORT	130		16,90
21911140	OILAMID G SORT	140		18,80
21911150	OILAMID G SORT	150		21,50
21911160	OILAMID G SORT	160	2,0/7,0	24,60
21911170	OILAMID G SORT	170		28,40
21911180	OILAMID G SORT	180		30,60
21911210	OILAMID G SORT	210		43,20
21911250	OILAMID G SORT	250	3,0/9,0	59,80
21911270	OILAMID G SORT	270		69,60
21911280	OILAMID G SORT	280		75,80
21911300	OILAMID G SORT	300		86,30

Standard længde 1000 mm

Oilamid G - polyamid (nylon)



Plader

Varenummer	Materiale	Dimension (mm)			Tolerance (mm) tykkelse	Nettovægt (kg/plade)
		tykkelse	bredde	længde		
2191100820	OILAMID G SORT	8	1.000	2.000	0,5/1,7	23,00
2191101020	OILAMID G SORT	10	1.000	2.000		27,00
2191101220	OILAMID G SORT	12	1.000	2.000		32,00
2191101520	OILAMID G SORT	15	1.000	2.000	0,5/2,5	40,00
2191101530	OILAMID G SORT	15	1.220	3.050		74,12
2191102020	OILAMID G SORT	20	1.000	2.000		52,00
2191102030	OILAMID G SORT	20	1.220	3.050		96,99
2191102520	OILAMID G SORT	25	1.000	2.000		64,00
2191102521	OILAMID G SORT	25	1.220	2.000		78,00
2191103020	OILAMID G SORT	30	1.000	2.000	0,5/3,5	79,15
2191104020	OILAMID G SORT	40	1.000	2.000		102,00
2191105020	OILAMID G SORT	50	1.000	2.000	1,0/5,0	127,00
2191106020	OILAMID G SORT	60	1.000	2.000		150,00
2191107020	OILAMID G SORT	70	1.000	2.000		177,00

Plader i andre dimentioner skaffes fra værk